

Sage ERP MAS Intelligence Component Comparison


| | Report Viewer | Report Manager | Designer | Connector |
|---|---------------|----------------|----------|-----------|
| Data Access | | | | |
| Access current production data | | | | ✓ |
| Report from modules other than GL and its related accounts | | ✓ | | ✓ |
| Report from more than one module (unrelated data) | | ✓ | | ✓ |
| Consolidated reports across multiple databases (multicompany) | | | | ✓ |
| Report Security | | | | |
| User access permissions defined by report groups | | | | |
| User access permissions defined by user groups (roles) | | | | |
| Reports managed from a single point of control | | ✓ | | |
| Reports stored in a centralized repository | | ✓ | | |
| Enforce user logons, roles, and permissions | | | | |
| Check-out/check-in of reports to ensure design integrity | | ✓ | | ✓ |
| Sequential versions of a report can be maintained | | ✓ | | |
| Report Delivery and Distribution | | | | |
| Report can be viewed through a centralized website | | ✓ | | |
| Reports can be grouped/linked for delivery as a package | | ✓ | | |
| Reports can be delivered as email attachments | | ✓ | | |
| Reports can be delivered in a link to a central repository | | ✓ | | |
| Reports can be scheduled for automatic delivery | | ✓ | | |
| Reporting Capabilities | | | | |
| Report templates provided as a starting point for report writing | | ✓ | | |
| Ships with predefined report building blocks for reuse | | ✓ | | |
| Provides optional tools to help guide the design process | ✓ | ✓ | | |
| Support use of relative (such as last year, this month) date ranges | ✓ | ✓ | | |
| Support cut, copy, and paste of design components | | ✓ | | |
| Support find and replace of design components | | | | ✓ |
| Supports undo and redo of report design changes | | ✓ | | |
| Customized report versions can be saved for future execution | | ✓ | | |
| Personalized reports can be saved for individual users | | ✓ | | |
| Can produce boardroom-quality output | ✓ | ✓ | | |
| Supports WYSIWYG formatting | | ✓ | | |
| Paper size and orientation can be defined for individual reports | | ✓ | | |
| Can repeat header and footer for each report | | ✓ | | |
| Supports flexible page numbering of reports | | ✓ | | |
| Support traditional row and column (list-type) report formats | | ✓ | | |
| Support nonlist, form-based report formats | | ✓ | | |

Sage ERP MAS Intelligence Component Comparison

| | Report Viewer | Report Manager | Designer | Connector |
|---|---------------|----------------|----------|-----------|
| Support creation of side-by-side reports for comparing data | | ✓ | ✓ | |
| Support complex calculations (such as IRR, PV, StdDev) | | ✓ | | |
| Support a variety of number rounding options | | ✓ | | |
| Can contain totals and subtotals based on data grouping | | ✓ | ✓ | |
| Can contain multicolor fonts and graphics | | ✓ | | |
| Fonts and other formats driven by underlying data (red < 0) | | ✓ | | |
| Includes native support for charts and graphs | | ✓ | | |
| Optional tools available to help validate report designs | | ✓ | ✓ | |
| Generate Crystal Reports® | | | | |
| Save Queries for future use | | ✓ | | |
| Initiate Charting | | ✓ | | |
| Sorting, Aggregating, Drill Down | | | | |
| Dynamically change the data sort order on demand | | ✓ | | |
| Dynamically filter/parameterize report data on demand | | ✓ | | |
| Drill down to see additional detail behind individual report values | ✓ | ✓ | | |
| Combine detail values to consolidate business units or totals | | ✓ | | |
| Dynamically modify the grouping/summarization of data | | ✓ | ✓ | |
| Supports predefined hierarchies to aid visualization | | ✓ | ✓ | |
| Existing data used to automatically extrapolate projected data | | ✓ | ✓ | |
| Data retrieval offers wildcards (*, ?) ranges (2200 - 2255) | | | | |
| Spreadsheet output linking to spreadsheets with related data | ✓ | ✓ | | |
| Users can export reports in Excel format | ✓ | ✓ | | |
| Users can export reports in XML format | | | | |
| Launch Tasks in context | | ✓ | | |
| Database support provided | | | | |
| Microsoft SQL Server® | | | | ✓ |
| ProvideX | | | | ✓ |
| Pervasive SQL | | | | ✓ |
| mySQL | | | | ✓ |
| Operating systems support | | | | |
| Windows® 7 | ✓ | ✓ | ✓ | ✓ |
| Windows Vista® | ✓ | ✓ | ✓ | ✓ |
| Windows XP | ✓ | ✓ | ✓ | ✓ |
| Microsoft Office Version Support | | | | |
| Office 2007 | ✓ | ✓ | ✓ | ✓ |
| Office 2003 | ✓ | ✓ | | ✓ |

Sage ERP MAS Intelligence Component Comparison

| | Sage ERP MAS Intelligence | FRx | BizNet2 | Crystal Reports | F9 |
|---|---------------------------|-----|---------|-----------------|----|
| Data Access | | | | | |
| Access current production data | ✓ | ✓ | ✓ | ✓ | ✓ |
| Report from modules other than GL and its related accounts | ✓ | | ✓ | ✓ | |
| Report from more than one module (unrelated data) | ✓ | | ✓ | ✓ | |
| Consolidated reports across multiple databases (multicompany) | ✓ | ✓ | ✓ | ✓ | ✓ |
| Report Security | | | | | |
| User access permissions defined by report groups | ✓ | ✓ | ✓ | ✓ | |
| User access permissions defined by user groups (roles) | ✓ | ✓ | ✓ | ✓ | |
| Reports managed from a single point of control | ✓ | ✓ | ✓ | ✓ | |
| Reports stored in a centralized repository | ✓ | ✓ | ✓ | ✓ | |
| Enforce user logons, roles, and permissions | ✓ | ✓ | ✓ | ✓ | |
| Check-out/check-in of reports to ensure design integrity | ✓ | | ✓ | ✓ | |
| Sequential versions of a report can be maintained | ✓ | ✓ | ✓ | ✓ | |
| Report Delivery and Distribution | | | | | |
| Report can be viewed through a centralized website | ✓ | ✓ | ✓ | ✓ | ✓ |
| Reports can be grouped/linked for delivery as a package | ✓ | ✓ | ✓ | ✓ | ✓ |
| Reports can be delivered as email attachments | ✓ | ✓ | ✓ | ✓ | ✓ |
| Reports can be delivered in a link to a central repository | ✓ | ✓ | ✓ | ✓ | ✓ |
| Reports can be scheduled for automatic delivery | ✓ | ✓ | | ✓ | ✓ |



Sage ERP MAS Intelligence Component Comparison

| | Sage ERP MAS Intelligence | FRx | BizNet2 | Crystal Reports | F9 |
|---|---------------------------|-----|---------|-----------------|----|
| Reporting Capabilities | | | | | |
| Report templates provided as a starting point for report writing | ✓ | ✓ | ✓ | ✓ | ✓ |
| Ships with predefined report building blocks for reuse | ✓ | ✓ | ✓ | ✓ | ✓ |
| Provides optional tools to help guide the design process | ✓ | ✓ | ✓ | ✓ | ✓ |
| Support use of relative (such as last year, this month) date ranges | ✓ | ✓ | ✓ | ✓ | ✓ |
| Support cut, copy and paste of design components | ✓ | ✓ | ✓ | ✓ | ✓ |
| Support find and replace of design components | ✓ | ✓ | ✓ | ✓ | ✓ |
| Supports undo and redo of report design changes | ✓ | | ✓ | ✓ | ✓ |
| Customized report versions can be saved for future execution | ✓ | ✓ | ✓ | ✓ | ✓ |
| Personalized reports can be saved for individual users | ✓ | ✓ | ✓ | ✓ | ✓ |
| Can produce boardroom quality output | ✓ | ✓ | ✓ | ✓ | ✓ |
| Supports WYSIWYG formatting | ✓ | ✓ | ✓ | ✓ | ✓ |
| Paper size and orientation can be defined for individual reports | ✓ | ✓ | ✓ | ✓ | ✓ |
| Can repeat header and footer for each report | ✓ | ✓ | ✓ | ✓ | ✓ |
| Supports flexible page numbering of reports | ✓ | ✓ | ✓ | ✓ | ✓ |
| Support traditional row and column (list-type) report formats | ✓ | ✓ | ✓ | ✓ | ✓ |
| Support nonlist, form-based report formats | ✓ | | ✓ | ✓ | ✓ |
| Support creation of side-by-side reports for comparing data | ✓ | ✓ | ✓ | ✓ | ✓ |
| Support complex calculations (such as IRR, PV, StdDev) | ✓ | | ✓ | ✓ | ✓ |
| Support a variety of number rounding options | ✓ | ✓ | ✓ | ✓ | ✓ |
| Can contain totals and subtotals based on data grouping | ✓ | ✓ | ✓ | ✓ | ✓ |
| Can contain multicolor fonts and graphics | ✓ | ✓ | ✓ | ✓ | ✓ |
| Fonts and other formats driven by underlying data (red < 0) | ✓ | | ✓ | ✓ | ✓ |
| Includes native support for charts and graphs | ✓ | | ✓ | ✓ | ✓ |
| Optional tools available to help validate report designs | ✓ | | | ✓ | ✓ |
| Generate Crystal Reports | | | | ✓ | ✓ |
| Save Queries for future use | | | ✓ | ✓ | ✓ |
| Initiate Charting | ✓ | | | ✓ | |
| Sorting, Aggregating, Drill Down | | | | | |
| Dynamically change the data sort order on demand | ✓ | ✓ | ✓ | ✓ | ✓ |
| Dynamically filter/parameterize report data on demand | ✓ | | ✓ | ✓ | ✓ |
| Drill down to see additional detail behind individual report values | ✓ | ✓ | ✓ | ✓ | ✓ |
| Combine detail values to consolidate business units or totals | ✓ | ✓ | ✓ | ✓ | ✓ |
| Dynamically modify the grouping/summarization of data | ✓ | ✓ | ✓ | ✓ | ✓ |

Sage ERP MAS Intelligence Component Comparison

| | Sage ERP MAS Intelligence | FRx | BizNet2 | Crystal Reports | F9 |
|--|---------------------------|-----|---------|-----------------|----|
| Supports predefined hierarchies to aid visualization | ✓ | ✓ | ✓ | ✓ | ✓ |
| Existing data used to automatically extrapolate projected data | ✓ | ✓ | ✓ | ✓ | ✓ |
| Data retrieval offers wildcards (*, ?) ranges (2200 - 2255) | ✓ | ✓ | ✓ | ✓ | ✓ |
| Spreadsheet output linking to spreadsheets with related data | ✓ | ✓ | ✓ | ✓ | ✓ |
| Users can export reports in Excel format | ✓ | ✓ | ✓ | ✓ | ✓ |
| Users can export reports in XML format | ✓ | ✓ | ✓ | ✓ | ✓ |
| Launch Tasks in context | ✓ | | | | |
| Database support provided | | | | | |
| Microsoft SQL Server | ✓ | ✓ | ✓ | ✓ | ✓ |
| ProvideX | ✓ | ✓ | ✓ | ✓ | ✓ |
| Pervasive SQL | ✓ | | ✓ | ✓ | ✓ |
| mySQL | ✓ | | ✓ | ✓ | ✓ |
| Operating systems support | | | | | |
| Windows 7 | ✓ | | ✓ | ✓ | ✓ |
| Windows Vista | ✓ | ✓ | ✓ | ✓ | ✓ |
| Windows XP | ✓ | ✓ | ✓ | ✓ | ✓ |
| Microsoft Office Version Support | | | | | |
| Office 2007 | ✓ | | ✓ | ✓ | ✓ |
| Office 2003 | 1 | ✓ | ✓ | ✓ | ✓ |

1 Sage Report Designer not supported for Office 2003.

2 Information derived from publicly available documents and third-party sources.